

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES SINGLE-ZONE HIGH-WALL COOLING ONLY AIR CONDITIONING SYSTEMS**

CATALOGUE



PDF

**13-SEER SINGLE-SPEED NON-INVERTER COOLING ONLY systems, 120V power supply.**

Indoor	Outdoor	SEER	Cooling Capacity	Trade Net \$
MS-A09WA-1	MU-A09WA	13.0	9,500 Btu/H	\$1,026.00

Summer only air conditioning operation. NON-INVERTER SINGLE-SPEED SYSTEM.

Wireless IR hand-held remote control included with indoor unit.

For other control options please see Page-19.

**VARIABLE-SPEED INVERTER COMPRESSOR COOLING ONLY systems, 208-230V power supply.**

BROCHURE

	Indoor	Outdoor	Min-Max Capacity	SEER	Trade Net \$	
PDF	MSY-GS09NA-U1	MUY-GS09NA-U1	3,600-12,200 Btu/H	24.6	\$1,521.00	Low Ambient Cooling down to -10°C Outdoor Temperature.
PDF	MSY-GL12NA-U2	MUY-GL12NA-U2	1,500-13,600 Btu/H	23.1	\$1,671.00	
PDF	MSY-GS15NA-U1	MUY-GS15NA-U1	3,100-18,200 Btu/H	21.6	\$1,831.00	
PDF	MSY-GL18NA-U1	MUY-GL18NA-U1	5,800-22,000 Btu/H	20.5	\$2,030.00	
PDF	MSY-GS24NA-U1	MUY-GS24NA-U1	8,200-31,400 Btu/H	21.5	\$2,564.00	
PDF	MSY-GS30NA2-U1	MUY-GS30NA2-U1	10,300-30,700 Btu/H	18.1	\$3,341.00	
PDF	MSY-GS36NA2-U1	MUY-GS36NA2-U1	10,300-33,200 Btu/H	16.2	\$3,973.00	

BROCHURE

3-season air conditioning operation, with operation down to -10°C outdoor temperature.

Wireless IR hand-held remote control included with indoor unit.

For other control options please see Page-19.

**P-SERIES SINGLE-ZONE HIGH-WALL ULTRA-LOW AMBIENT COOLING ONLY AIR CONDITIONING SYSTEMS**

**VARIABLE-SPEED INVERTER COMPRESSOR COOLING ONLY systems, 208-230V power supply.**

**The -40**

	Indoor	Outdoor	Min-Max Capacity	SEER	Trade Net \$	
PDF	PKA-A12LA-TH	PUY-A12NKA7	5,800-12,000 Btu/H	21.0	\$4,666.00	Low Ambient Cooling down to -40°C Outdoor Temperature.
PDF	PKA-A18LA-TH	PUY-A18NKA7	8,000-18,000 Btu/H	19.8	\$4,714.00	
PDF	PKA-A24KA7-TH	PUY-A24NHA7	10,000-24,000 Btu/H	21.4	\$5,815.00	
PDF	PKA-A30KA7-TH	PUY-A30NHA7	9,000-30,000 Btu/H	19.8	\$6,223.00	
PDF	PKA-A36KA7-TH	PUY-A36NKA7	16,000-36,000 Btu/H	18.8	\$7,504.00	

Prices include: PAR-41MA 2-wire communicating wall control, full windscreen package, indoor disconnect switch.

The PUY outdoor units can also be connected to PEAD, PVA, and PLA indoor units with -40 cooling operation. CALL FOR PRICING.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



[Click for Rebate Details](#)

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: [www.digelair.com](http://www.digelair.com)  
 Email: [sales@digelair.com](mailto:sales@digelair.com)

**M-SERIES SINGLE-ZONE HIGH-WALL HEAT PUMP SYSTEMS**

**VARIABLE-SPEED INVERTER COMPRESSOR HEAT PUMP system, 120V power supply.**

[BROCHURE](#)

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
<a href="#">PDF</a>	MSZ-JP12WA-U1	MUZ-JP12WA-U1	3,800-12,200 Btu/h	17.0	5,850 Btu/h	\$1,411.00

**VARIABLE-SPEED INVERTER COMPRESSOR HEAT PUMP system, 208-230V power supply.**

[BROCHURE](#)

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
<a href="#">PDF</a>	MSZ-GS09NA-U1	MUZ-GS09NAH-U1	3,600-12,200 Btu/h	28.4	6,180 Btu/h	\$1,677.00
<a href="#">PDF</a>	MSZ-GS12NA-U1	MUZ-GS12NAH-U1	1,500-13,600 Btu/h	25.6	7,700 Btu/h	\$1,901.00
<a href="#">PDF</a>	<b>MSZ-GL15NA-U2</b>	<b>MUZ-GL15NAH-U2</b>	<b>3,100-18,200 Btu/h</b>	<b>21.6</b>	<b>11,160 Btu/h</b>	<b>\$1,790.00</b>
<a href="#">PDF</a>	MSZ-GS15NA-U1	MUZ-GS15NAH-U1	3,100-18,200 Btu/h	21.0	13,060 Btu/h	\$2,059.00
<a href="#">PDF</a>	MSZ-GS18NA-U1	MUZ-GS18NAH-U1	5,800-22,000 Btu/h	21.5	12,580 Btu/h	\$2,400.00
<a href="#">PDF</a>	MSZ-GS24NA-U1	MUZ-GS24NAH-U1	8,200-31,400 Btu/h	21.5	15,930 Btu/h	\$2,816.00

[BROCHURE](#)

<a href="#">PDF</a>	MSZ-GS30NA2-U1	MUZ-GS30NAH2-U1	10,300-30,700 Btu/h	18.1	11,500 Btu/h	\$3,705.00
<a href="#">PDF</a>	MSZ-GS36NA2-U1	MUZ-GS36NAH2-U1	10,300-33,200 Btu/h	16.2	13,500 Btu/h	\$4,405.00

Variable speed inverter HEAT-COOL systems, 208-230V power supply.

**MSZ/MUZ-GL15 IN-STOCK SPECIAL \$\$**

**MSZ-GL(S) models allow for 3-season operation, with low ambient cooling down to -10°C outdoor temperature, and heat pump operation down to -20°C outdoor temp. (Heating Cut-out @ -25°C and Cut-in @ -20°C)**

Wireless IR remote control included with indoor unit.

[CATALOGUE](#)

For other control options please see Page-19.

Vertical air swing (all models), Horizontal air swing (GL18/24 only), Wide airflow (GL24, GS30/36 only).

Multiple fan speeds: 5 speeds (GL09-18), 4 speeds (GL24, GS30/36 only).

Click for information > [BASEBOARD HEATER CONTROL with MSZ-FS, MSZ-GS & MFZ-KJ H2i Indoor Units.](#)



Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES SINGLE-ZONE HIGH-WALL H2i COLD CLIMATE HEAT PUMP SYSTEMS**

Wireless Remote, and 3D i-see Sensor (FH only)

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

For other control options please see Page-19.

Hyper-Heating Down to -25°C/-13°F  
 (Cut-out @ -30°C and Cut-in @ -25°C)



BROCHURE



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
	MSZ-GS09NA-U1	MUZ-GS09NAHZ-U1	3,600-12,200 Btu/h	28.4	8,180/6,760 Btu/h	\$2,013.00
	MSZ-GS12NA-U1	MUZ-GS12NAHZ-U1	1,500-13,600 Btu/h	21.7	10,510/8,720 Btu/h	\$2,275.00
	MSZ-GS15NA-U1	MUZ-GS15NAHZ-U1	3,100-18,200 Btu/h	21.0	11,910/9,820 Btu/h	\$2,519.00
	MSZ-GS18NA-U1	MUZ-GS18NAHZ-U1	5,800-22,000 Btu/h	21.5	16,460/13,930 Btu/h	\$2,990.00
	MSZ-GS24NA-U1	MUZ-GS24NAHZ-U1	8,200-31,400 Btu/h	21.5	18,070/14,930 Btu/h	\$3,518.00

**M-SERIES SINGLE-ZONE FLOOR (LOW-WALL) H2i COLD CLIMATE HEAT PUMP SYSTEMS**

Wireless Remote, and 3D i-see Sensor

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

For other control options please see Page-19.

Energy Efficient – Up to 33.1 SEER

Perfect for knee-wall installation in loft rooms.

Hyper-Heating Down to -25°C/-13°F



BROCHURE



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
	MFZ-KJ09NA-U1	MUFZ-KJ09NAHZ-U1	2,300-14,000 Btu/h	28.2	9,130/7,260 Btu/h	\$3,077.00
	MFZ-KJ12NA-U1	MUFZ-KJ12NAHZ-U1	2,300-15,000 Btu/h	25.5	10,790/8,450 Btu/h	\$3,569.00
	MFZ-KJ15NA-U1	MUFZ-KJ15NAHZ-U1	5,300-19,000 Btu/h	21.8	15,840/13,860 Btu/h	\$3,862.00
	MFZ-KJ18NA-U1	MUFZ-KJ18NAHZ-U1	5,300-22,500 Btu/h	21.0	18,480/16,170 Btu/h	\$4,373.00

Click for information > [BASEBOARD HEATER CONTROL with MSZ-FS, MSZ-GS & MFZ-KJ H2i Indoor Units.](#)

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

**M-SERIES SINGLE-ZONE HIGH-WALL H2i PLUS COLD CLIMATE HEAT PUMP SYSTEMS**

Wireless Remote, and 3D i-see Sensor

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

For other control options please see Page-19.

Energy Efficient – Up to 33.1 SEER

Hyper-Heating Down to -26°C/-14°F

(Cut-out @ -28°C and Cut-in @ -26°C)

**100%  
HEATING  
CAPACITY  
AT -20°C**



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
PDF	MSZ-FS06NA-U1	MUZ-FS06NAH-U1	1,700-9,000 Btu/h	33.1	8,700/7,250 Btu/h	\$2,231.00
PDF	MSZ-FS09NA-U1	MUZ-FS09NAH-U1	1,700-12,000 Btu/h	30.5	9,600/8,000 Btu/h	\$2,292.00
PDF	MSZ-FS12NA-U1	MUZ-FS12NAH-U1	2,500-13,600 Btu/h	26.1	12,300/11,000 Btu/h	\$2,675.00
PDF	MSZ-FS15NA-U1	MUZ-FS15NAH-U1	6,450-19,000 Btu/h	22.2	16,000/14,400 Btu/h	\$2,957.00
PDF	MSZ-FS18NA-U1	MUZ-FS18NAH-U1	6,450-21,000 Btu/h	21.0	19,000/17,100 Btu/h	\$3,418.00



- 100% efficient heating power all the way down to -20°C
- Industry-leading 12-year extended warranty on parts and compressor\*
- 3D i-see Sensor for even temperatures throughout your space
- Enhanced design flexibility to blend into small spaces

- Quiet operating system as low as 20 dB(A)
- ENERGY STAR® Certified with one of the highest SEER rating in the HVAC industry
- Patented Dual Barrier Coating cleans and prevents dust and dirt from accumulating for superior air quality and filtration

Mr. SLIM<sup>®</sup>  
FS-Series



Learn more at:

[believethehype.ca](http://believethehype.ca)



Click for information > [BASEBOARD HEATER CONTROL with MSZ-FS, MSZ-GS & MFZ-KJ H2i Indoor Units.](#)

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES SINGLE-ZONE 1-WAY CEILING CASSETTE HEAT PUMP SYSTEMS**

Wireless Remote included with indoor unit.

Fits between joists spaced at 16 inch on centre.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

For other control options please see Page-19.

Heating Down to -20°C/-4°F



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
PDF	MLZ-KP09NA-U1	SUZ-KA09NAH2-MX	3,600-9,000 Btu/h	19.5	4,500 Btu/h	\$2,534.00
PDF	MLZ-KP12NA-U1	SUZ-KA12NAH2-MX	3,900-12,000 Btu/h	19.8	5,900 Btu/h	\$2,973.00
PDF	MLZ-KP18NA-U1	SUZ-KA18NAH2-TH	6,600-18,000 Btu/h	22.3	7,900 Btu/h	\$3,994.00

Note: Ceiling Grille and Handheld Remote are included in price.

**M-SERIES SINGLE-ZONE 1-WAY CEILING CASSETTE H2i COLD CLIMATE HEAT PUMP SYSTEMS**

Wireless Remote included with indoor unit.

Fits between joists spaced at 16 inch on centre.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

For other control options please see Page-19.

Hyper-Heating Down to -25°C/-13°F



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
PDF	MLZ-KP09NA-U1	SUZ-KA09NAHZ-TH	4,800-9,000 Btu/h	18.9	10,700/9,600 Btu/h	\$3,132.00
PDF	MLZ-KP12NA-U1	SUZ-KA12NAHZ-TH	5,270-12,000 Btu/h	19.0	13,400/12,000 Btu/h	\$3,573.00
PDF	MLZ-KP18NA-U1	SUZ-KA18NAHZ-TH	8,740-16,700 Btu/h	18.8	16,700/14,800 Btu/h	\$4,514.00

Note: Ceiling Grille and Handheld Remote are included in price.

- The MLZ 1-WAY CASSETTE indoor unit offers an alternative to the conventional high-wall mounted style, where a unit on the wall is not desired or perhaps a good location on the wall is not available.
- Designed to fit in between 16 inch on-centre joists. Access to all components is capable by taking down the included ceiling grille panel, eliminating the need for a separate ceiling access panel.
- Interconnecting wiring and refrigerant piping are run inside the joist space to the outdoor unit.
- An integral condensate lifter pump allows for draining with a 3/4 inch PVC tube.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES SINGLE-ZONE 4-WAY CEILING CASSETTE HEAT PUMP SYSTEMS**

**SLZ 4-WAY CEILING CASSETTE INDOOR UNIT**

Indoor unit cabinet fits in a standard 2ft x 2ft T-bar ceiling grid.


Service access required above ceiling. 18in x 18in access panel in drywall ceilings.

Optional hand-held wireless remote kit with receiver. **\$249.00**



Optional PAR-\*MA or MHK2 Wall Controls, see Page-19.

Heating Down to -20°C/-4°F



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
	SLZ-KF09NA1	SUZ-KA09NAH2-MX	3,600-9,000 Btu/h	22.4	7,200 Btu/h	\$2,400.00
	SLZ-KF12NA1	SUZ-KA12NAH2-MX	3,900-12,000 Btu/h	22.0	6,100 Btu/h	\$2,760.00
	SLZ-KF15NA1	SUZ-KA15NAH2-MX	5,100-14,100 Btu/h	19.8	8,900 Btu/h	\$3,023.00
	SLZ-KF18NA1	SUZ-KA18NAH2-TH	6,600-17,700 Btu/h	20.7	9,800 Btu/h	\$3,690.00

Note: Ceiling Grille included in price.

**M-SERIES SINGLE-ZONE 1-WAY CEILING CASSETTE H2i COLD CLIMATE HEAT PUMP SYSTEMS**

**SLZ 4-WAY CEILING CASSETTE INDOOR UNIT**

Indoor unit cabinet fits in a standard 2ft x 2ft T-bar ceiling grid.


Service access required above ceiling. 18in x 18in access panel in drywall ceilings.

Optional hand-held wireless remote kit with receiver. **\$249.00**



Optional PAR-\*MA or MHK2 Wall Controls, see Page-19.

Hyper-Heating Down to -25°C/-13°F



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
	SLZ-KF09NA1	SUZ-KA09NAHZ-TH	4,800-9,000 Btu/h	20.2	7,598/4,569 Btu/h	\$2,998.00
	SLZ-KF12NA1	SUZ-KA12NAHZ-TH	5,070-12,000 Btu/h	20.3	8,346/5,019 Btu/h	\$3,360.00
	SLZ-KF15NA1	SUZ-KA15NAHZ-TH	8,500-13,700 Btu/h	17.7	10,936/6,577 Btu/h	\$3,796.00
	SLZ-KF18NA1	SUZ-KA18NAHZ-TH	9,010-16,800 Btu/h	19.0	11,511/6,923 Btu/h	\$4,210.00

Note: Ceiling Grille included in price.

- The **SLZ 4-WAY CASSETTE** indoor unit is designed primarily for office spaces or other areas with a typical T-bar grid/tile ceiling construction as the cabinet fits in a 2'x2' space with the grille/louver covering the opening.
- Access to the unit above the ceiling is required. With a drywall or other finished ceiling without removable tiles, then an 18"x18" access panel is required on the control panel side of the unit.
- An integral condensate lifter pump allows for draining with a 3/4 inch PVC tube.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

**M-SERIES SINGLE-ZONE LOW STATIC HORIZONTAL DUCTED HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.

LOW STATIC 0.2"WC MAXIMUM. Not for ducted return.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Integral condensate lifter, use with 1 inch PVC tubing.

Heating Down to -20°C/-4°F



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
PDF	SEZ-KD09NA4R1-TH	SUZ-KA09NAH2-MX	3,900-9,000 Btu/h	18.8	4,400 Btu/h	\$2,116.00
PDF	SEZ-KD12NA4R1-TH	SUZ-KA12NAH2-MX	3,800-13,300 Btu/h	16	5,800 Btu/h	\$2,530.00
PDF	SEZ-KD15NA4R1-TH	SUZ-KA15NAH2-MX	5,200-15,000 Btu/h	19	7,500 Btu/h	\$2,675.00
PDF	SEZ-KD18NA4R1-TH	SUZ-KA18NAH2-TH	6,100-18,000 Btu/h	22	8,900 Btu/h	\$3,487.00

[OPTIONAL FB-SERIES RETURN AIR FILTER BOXES \[See Page-17 for Information & Pricing\]](#)

**M-SERIES SINGLE-ZONE LOW STATIC HORIZONTAL DUCTED H2i COLD CLIMATE HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.


LOW STATIC 0.2"WC MAXIMUM. Not for ducted return.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Integral condensate lifter, use with 1 inch PVC tubing.

Hyper-Heating Down to -25°C/-13°F



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
PDF	SEZ-KD09NA4R1-TH	SUZ-KA09NAHZ-TH	4,500-9,000 Btu/h	17.3	7,655/4,604 Btu/h	\$2,714.00
PDF	SEZ-KD12NA4R1-TH	SUZ-KA12NAHZ-TH	5,210-12,000 Btu/h	19	10,360/6,231 Btu/h	\$3,130.00
PDF	SEZ-KD15NA4R1-TH	SUZ-KA15NAHZ-TH	9,000-15,000 Btu/h	17.3	12,893/7,754 Btu/h	\$3,448.00
PDF	SEZ-KD18NA4R1-TH	SUZ-KA18NAHZ-TH	9,200-18,000 Btu/h	19.1	16,116/9,692 Btu/h	\$4,007.00

[OPTIONAL FB-SERIES RETURN AIR FILTER BOXES \[See Page-17 for Information & Pricing\]](#)

- The SEZ HORIZONTAL DUCTED (LOW STATIC) indoor unit is suitable for installation in a bulkhead with a supply and return grille (field supplied), or in 1-room ducted applications with a non-ducted return.
- For applications with significant ductwork, please choose our PEAD, SVZ, or PVA model indoor units.
- An integral condensate lifter pump allows for draining with a 1 inch PVC tube.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

**M/P-SERIES SINGLE-ZONE HORIZONTAL DUCTED HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.

Fully ducted applications up to STATIC 0.6"WC MAXIMUM.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Integral condensate lifter, use with 1 inch PVC tubing.

Heating Down to -20°C/-4°F (09-18), to -10°C/15°F (\*24-36).



BROCHURE



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20°C	Trade Net \$
	PEAD-A09AA8	SUZ-KA09NAH2-MX	4,300-9,000 Btu/h	19.7	4,500 Btu/h	\$2,939.00
	PEAD-A12AA8	SUZ-KA12NAH2-MX	4,400-12,000 Btu/h	20.5	5,900 Btu/h	\$3,208.00
	PEAD-A15AA8	SUZ-KA15NAH2-MX	5,500-15,000 Btu/h	19.8	7,500 Btu/h	\$3,403.00
	PEAD-A18AA8	SUZ-KA18NAH2-TH	6,200-18,000 Btu/h	19.8	8,900 Btu/h	\$4,052.00
	PEAD-A24AA8	SUZ-KA24NAH2-TH	12,000-24,000 Btu/h	18	-10°C 17,000 Btu/h	\$4,652.00
	PEAD-A30AA8	SUZ-KA30NAH2-TH	13,200-27,000 Btu/h	18	-10°C 20,000 Btu/h	\$5,252.00
	PEAD-A36AA8	SUZ-KA36NAH2-TH	14,000-33,000 Btu/h	16	-10°C 22,000 Btu/h	\$5,884.00

**M/P-SERIES SINGLE-ZONE HORIZONTAL DUCTED H2i COLD CLIMATE HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.

Fully ducted applications up to STATIC 0.6"WC MAXIMUM.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Integral condensate lifter, use with 1 inch PVC tubing.

Hyper-Heating Down to -25°C/-13°F. (\* -30°C \*)



BROCHURE



	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
	PEAD-A09AA8	SUZ-KA09NAHZ-TH	5,000-9,000 Btu/h	17.8	10,700/10,000 Btu/h	\$3,537.00
	PEAD-A12AA8	SUZ-KA12NAHZ-TH	5,770-12,000 Btu/h	19.3	13,400/12,500 Btu/h	\$3,808.00
	PEAD-A15AA8	SUZ-KA15NAHZ-TH	9,600-15,000 Btu/h	18.3	16,000/15,000 Btu/h	\$4,176.00
	PEAD-A18AA8	SUZ-KA18NAHZ-TH	9,320-18,000 Btu/h	18.9	19,000/18,000 Btu/h	\$4,572.00
	PEAD-A24AA8	PUZ-HA24NHA1	10,000-24,000 Btu/h	15	22,400/20,000 Btu/h	\$7,391.00
	PEAD-A30AA8	PUZ-HA30NKA	14,600-30,000 Btu/h	15	28,700/25,600 Btu/h	\$8,171.00
	PEAD-A36AA8	PUZ-HA36NKA	15,600-33,000 Btu/h	15	34,100/30,400 Btu/h	\$8,911.00
	PEAD-A42AA7	PUZ-HA42NKA1	17,100-42,000 Btu/h	15	43,100/38,400 Btu/h	\$9,835.00

OPTIONAL FB-SERIES RETURN AIR FILTER BOXES [See Page-17 for Information & Pricing]



Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

**M-SERIES SINGLE-ZONE MULTI-POSITION DUCTED HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.

Fully ducted applications up to STATIC 0.6"WC MAXIMUM.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Heating Down to -20°C/-4°F (09-18), to -10°C/15°F (\*24-36).



BROCHURE

	Indoor	Outdoor	Min-Max	SEER	Heating @ -20°C	Trade Net \$
PDF	SVZ-KP12NA	SUZ-KA12NAH2-MX	4,300-12,000 Btu/h	18	5,800 Btu/h	\$3,177.00
PDF	SVZ-KP18NA	SUZ-KA18NAH2-TH	6,200-18,000 Btu/h	18	9,000 Btu/h	\$3,872.00
PDF	SVZ-KP24NA	SUZ-KA24NAH2-TH	12,400-24,000 Btu/h	18	-10°C 17,000 Btu/h	\$4,345.00
PDF	SVZ-KP30NA	SUZ-KA30NAH2-TH	13,500-27,000 Btu/h	18	-10°C 20,000 Btu/h	\$4,802.00
PDF	SVZ-KP36NA	SUZ-KA36NAH2-TH	11,600-33,000 Btu/h	16	-10°C 22,000 Btu/h	\$5,340.00

**M-SERIES SINGLE-ZONE MULTI-POSITION DUCTED H2i COLD CLIMATE HEAT PUMP SYSTEMS**

PAR-\*MA or MHK2 Wall Control required, see Page-19.

Fully ducted applications up to STATIC 0.60"WC MAXIMUM.

Built-in Auxiliary Heater Control (Adapter Required)

Variable Compressor Speed Inverter Technology

Ambient lock-out can be disabled on the 24-30-36 MBH models.

Hyper-Heating Down to -25°C/-13°F (\* -30°C \*)



BROCHURE

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -20/-25°C	Trade Net \$
PDF	SVZ-KP12NA	<b>SUZ-KA12NAHZ-TH</b>	5,600-12,000 Btu/h	19	10,360/6,231 Btu/h	\$3,777.00
PDF	SVZ-KP18NA	<b>SUZ-KA18NAHZ-TH</b>	9,360-18,000 Btu/h	18.4	16,116/9,692 Btu/h	\$4,392.00
PDF	SVZ-KP24NA	<b>SUZ-KA24NAHZ</b>	8,800-24,000 Btu/h	16	20,677/18,400 Btu/h	\$7,084.00
PDF	SVZ-KP30NA	<b>SUZ-KA30NAHZ</b>	13,400-27,000 Btu/h	15	28,768/25,600 Btu/h	\$7,721.00
PDF	SVZ-KP36NA	<b>SUZ-KA36NAHZ</b>	14,200-36,000 Btu/h	16	33,263/29,600 Btu/h	\$8,367.00

**COST EXTRA > PAR-40MA / PAR-CT01MA / MHK2 Wall Control REQUIRED (Page-19) to complete your system.**

**COST EXTRA > REFER TO PAGE-20 FOR SUPPLEMENTAL HEAT OPTIONS > Electric Duct Heaters, Hot Water Coils.**

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**P-SERIES SINGLE-ZONE MULTI-POSITION DUCTED ZUBA-CENTRAL H2i COLD CLIMATE HEAT PUMP SYSTEMS**

<b>2.0 TON ZUBA-CENTRAL (M)</b> PVA-A24AA7/PUZ-HA24NHA1	Cooling 10,000-24,000 Btu/h, Heating 10,000-28,000 Btu/h Heating Output [26.0 MBH @ -15°C] [20.8 MBH @ -25°C]		\$7,414.00
<b>2.5 TON ZUBA-CENTRAL (M)</b> PVA-A30AA7/PUZ-HA30NKA	Cooling 13,400-27,000 Btu/h, Heating 13,000-34,000 Btu/h Heating Output [32.0 MBH @ -15°C] [25.6 MBH @ -25°C]		\$8,031.00
<b>3.0 TON ZUBA-CENTRAL (L)</b> PVA-A36AA7/PUZ-HA36NKA	Cooling 15,500-36,000 Btu/h, Heating 18,600-40,000 Btu/h Heating Output [38.0 MBH @ -15°C] [30.4 MBH @ -25°C]		\$8,748.00
<b>3.5 TON ZUBA-CENTRAL (L)</b> PVA-A42AA7/PUZ-HA42NKA1	Cooling 17,000-42,000 Btu/h, Heating 23,900-54,000 Btu/h Heating Output [48.0 MBH @ -15°C] [38.4 MBH @ -25°C]		\$9,775.00

**SYSTEM PACKAGE PRICES ABOVE INCLUDE:**

**(REFER TO PAGE-20 FOR SUPPLEMENTAL HEAT OPTIONS)**

- 1) **PUZ-HA** Cold Climate Heat Pump Condensing Unit. **ABILITY TO HEAT BELOW -30°C OUTDOOR TEMPERATURE.**
- 2) **PVA** Multi-position Air Handler

**COST EXTRA > PAR-40MA / PAR-CT01MA / MHK2 Wall Control REQUIRED (Page-19) to complete your system.**

**PUMY SINGLE-ZONE MULTI-POSITION DUCTED ZUBA-CENTRAL H2i COLD CLIMATE HEAT PUMP SYSTEM**

<b>4.0 TON ZUBA-CENTRAL (L)</b> PVFY-P48NAMU/PUMY-HP48	Cooling 11,040-48,000 Btu/h, Heating 8,640-54,000 Btu/h Heating Output [54.0 MBH @ -15°C] [43.2 MBH @ -25°C]		\$10,028.50
---	---	--	-------------

**4.0 TON SYSTEM PACKAGE PRICE ABOVE INCLUDES:**

**(REFER TO PAGE-20 FOR SUPPLEMENTAL HEAT OPTIONS)**

- 1) **PUMY-HP48NKMU1** Cold Climate Heat Pump Condensing Unit. **NOTE: HEAT PUMP LOCKS OUT @ -27°C OUTDOOR TEMPERATURE.**
- 2) **PVFY-P48NAMU-E1** Multi-position Air Handler with 1x Indoor Disconnect Switch (**MIT-INDISCONNECT-2P**).
- 4) **50ft (15m) of 16-2(S) shielded cable communication wire.** Longer lengths are available at an additional cost.
- 5) **Commissioning assistance is available for this product.** In person, or by phone, as needed depending on your experience.

**COST EXTRA > PAR-40MA / PAR-CT01MA / MHK2 Wall Control REQUIRED (Page-19) to complete your system.**



	<b>RSH-50-VRM-KIT</b>	<b>Low &amp; High Voltage &amp; Surge Protection</b>	<b>\$319.80</b>
	GAFB2832-11	Plenum Box Kit MERV-11 Filter (24-30)	\$347.50
	GAFB2843-11	Plenum Box Kit MERV-11 Filter (36-42)	\$378.50
	PV-RTN-36-42	Low-height Hybrid Plenum Kit (36-42)	\$514.00
	MAC2020-11	Media Filter Pack 20x20x5in use with PV-RTN-36-42	\$131.50
	FAN-HS300	Fantech HERO HEPA Filtration System	\$561.00
	<b>APCOX-ER3</b>	<b>FRESH-AIRE UV LAMP AIR PURIFIER 24VAC</b>	\$615.00
	QSMS1801	Quick Sling 18in Condenser Stand Kit	\$261.00
	GEN-5500	GeneralAire Steam Humidifier 10/28 GPD 120/230V	\$1,006.70
	GEN-DS-RDAH	GeneralAire Rotary Disc Humidifier AF 14 GPD 24V	\$278.60

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**HYBRID HEAT PUMP SYSTEMS: FOR USE WITH GAS/PROPANE/ELECTRIC/HYDRONIC FURNACES**


**STANDARD Hybrid HEAT PUMP Package**

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -15°C	Trade Net \$
	PAA-A24BA1-M	PUZ-A24NHA7	10,600-24,000 Btu/h	16.5	11,600 Btu/h	\$4,746.00
	PAA-A30BA1-M	PUZ-A30NHA7	9,600-30,000 Btu/h	16.0	15,600 Btu/h	\$4,944.00
	PAA-A36CA1-M	PUZ-A36NKA7	17,800-36,000 Btu/h	16.5	21,900 Btu/h	\$5,731.00
	PAA-A42CA1-M	PUZ-A42NKA7	19,800-42,000 Btu/h	15.5	24,500 Btu/h	\$5,898.00

**COLD CLIMATE Hybrid HEAT PUMP Package**

	Indoor	Outdoor	Min-Max Cooling	SEER	Heating @ -25°C	Trade Net \$
	PAA-A24BA1-M	PUZ-HA24NHA1	11,800-24,000 Btu/h	15.0	20,800 Btu/h	\$5,683.00
	PAA-A30BA1-M	PUZ-HA30NKA	17,000-30,000 Btu/h	16.0	25,600 Btu/h	\$6,187.00
	PAA-A36CA1-M	PUZ-HA36NKA	16,600-36,000 Btu/h	15.5	30,400 Btu/h	\$6,352.00

**COST EXTRA > PAR-\*\*MA / MHK2 Wall Control / or RMF-CA100 REQUIRED (Page-19) to complete your system.**



- > Multi-position
- > Cased A-coil
- > Control Panel
- > Emergency Heat

Can be used with conventional thermostats, or Mitsubishi communicating wall controls.




**ALREADY HAVE A FURNACE?**



COMPATIBLE WITH ANY BRAND OF EXISTING GAS, PROPANE AND ELECTRIC FURNACE.\*

\*Furnace must comply with the ANSI Z21.47/CSA 2.2 standard. See Installation Man.



**HYBRID HEATING & COOLING**

DISCOVER A NEW LEVEL OF POWER & VERSATILITY IN HOME COMFORT

\* Not approved for Oil or Wood furnaces.

Also available in COOLING ONLY with model PUY outdoor units, in 24-30-36-42 MBH sizes.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES & PUMY-P OUTDOOR UNITS FOR MULTI-ZONE HEAT PUMP SYSTEMS**



CATALOGUE

PDF

PDF

PDF

PDF

PDF

Outdoor	Number of Zones	Rated Capacity Btu/H	Trade Net \$
MXZ-2C20NA4-U1	2 Indoor Units	18,000 cooling 22,000 heating	\$2,266.00
MXZ-3C24NA4-U1	2 to 3 Indoor Units	22,000 cooling 25,000 heating	\$2,943.00
MXZ-3C30NA4-U1	2 to 3 Indoor Units	28,400 cooling 28,600 heating	\$3,479.00
MXZ-4C36NA4-U1	2 to 4 Indoor Units	35,400 cooling 36,000 heating	\$4,075.00
MXZ-5C42NA4-U1	2 to 5 Indoor Units	40,500 cooling 45,000 heating	\$5,125.00

The above models are 'ported' multi-split outdoor units, and do not use brach boxes.



PDF

PDF

Outdoor	Number of Zones	Rated Capacity Btu/H	Trade Net \$
PUMY-P48NKMU4	2-8 Indoor Units	48,000 cooling 50,000 heating	\$5,495.00
PUMY-P60NKMU4	2-8 Indoor Units	60,000 cooling 66,000 heating	\$5,853.00

48 & 60 models require the use of 1 or 2 Branch Boxes, available in 3 & 5 port models.

PAC-MKA32BC	Branch Box for connecting 1-3 indoor units.	\$597.00
PAC-MKA52BC	Branch Box for connecting 1-5 indoor units.	\$814.00
MSDD-50AR-E	Flare branch pipe kit for 2 branch boxes.	\$138.00
MSDD-50BR-E	Brazed branch pipe kit for 2 branch boxes.	\$93.00

NOTE: Branch Boxes must be install indoors.

**VSCI 'VARIABLE COMPRESSOR SPEED INVERTER' CONDENSING UNITS.**

Low ambient cooling operation to -10°C outdoor temperature.

Low ambient heating operation to -15°C outdoor temperature. Can be set to cooling only.

**COMBINE THESE WITH INDOOR UNITS ON PAGES 14 to 17 TO MAKE A SYSTEM.**

[Click Here for a complete listing of multi-split INDOOR-OUTDOOR UNIT COMPATABILITY.](#)

- Up to 130% of outdoor unit cooling capacity can be connected, unless an SVZ air handler is used, in which case it is reduced to 100%. Note that the actual capacity of the operating connected indoor units will be adjusted to the maximum capacity of the outdoor unit on a proportional basis.  
**\*\* PLEASE REFER TO THE COMPLETE MXZ CONNECTION RULES LISTED ON PAGE 13. \*\***
- Mix-and-Match various styles and capacities of indoor units (with allowable combinations) to meet your requirements.
- MXZ systems installed in buildings with ductless indoor units located in very small rooms can under certain conditions experience overheating of these spaces during heat pump heating operation. If one zone is considerably larger and will be heating more frequently then the smaller zones, then it is recommended that this larger area be served by a separate single-zone system.
- CONTACT US FOR PRICING ON PUMY SYSTEMS WITHOUT THE USE OF BRANCH BOXES (REQUIRES CM INDOOR UNITS).

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES & PUMY-HP OUTDOOR UNITS FOR MULTI-ZONE H2i COLD CLIMATE HEAT PUMP SYSTEMS**



**HYPER HEAT AT -25°C**

CATALOGUE

PDF

PDF

PDF

Outdoor	Number of Zones	Rated Capacity Btu/H	Trade Net \$
MXZ-2C20NAHZ4-U1	2 Indoor Units	20,000 cooling 25,500 heating	\$3,869.00
MXZ-3C24NAHZ4-U1	2 to 3 Indoor Units	23,600 cooling 30,600 heating	\$5,168.00
MXZ-3C30NAHZ4-U1	2 to 3 Indoor Units	28,400 cooling 36,000 heating	\$5,244.00

The above models are 'ported' multi-split outdoor units, and do not use brach boxes.



**HYPER HEAT AT -25°C**

PDF

PDF

PDF

Outdoor	Number of Zones	Rated Capacity Btu/H	Trade Net \$
PUMY-HP36NKMU2	2-4 Indoor Units	36,000 cooling 42,000 heating	\$5,882.00
PUMY-HP42NKMU2	2-5 Indoor Units	42,000 cooling 48,000 heating	\$6,317.00
PUMY-HP48NKMU2	2-8 Indoor Units	48,000 cooling 54,000 heating	\$7,029.00

36-42-48 models require use of 1 or 2 Branch Boxes, available in 3 & 5 port models.

PAC-MKA32BC	Branch Box for connecting 1-3 indoor units.	\$597.00
PAC-MKA52BC	Branch Box for connecting 1-5 indoor units.	\$814.00
MSDD-50AR-E	Flare branch pipe kit for 2 branch boxes.	\$138.00
MSDD-50BR-E	Brazed branch pipe kit for 2 branch boxes.	\$93.00

The ambient lockout can be disabled on H2i MXZ-48 for extended heating operation.

NOTE: Branch Boxes must be install indoors.

**H2i VSCI 'VARIABLE COMPRESSOR SPEED INVERTER' CONDENSING UNITS.**

Low ambient cooling operation to -10°C outdoor temperature.

Low ambient heating operation to -25°C outdoor temperature.

**COMBINE THESE WITH INDOOR UNITS ON PAGES 14 to 17 TO MAKE A SYSTEM.**

[Click Here for a complete listing of multi-split INDOOR-OUTDOOR UNIT COMPATABILITY.](#)

- Up to 130% of outdoor unit cooling capacity can be connected, unless an SVZ air handler is used, in which case it is reduced to 100%. Note that the actual capacity of the operating connected indoor units will be adjusted to the maximum capacity of the outdoor unit on a proportional basis.  
**\*\* PLEASE REFER TO THE COMPLETE MXZ CONNECTION RULES LISTED ON PAGE 13. \*\***
- Mix-and-Match various styles and capacities of indoor units (with allowable combinations) to meet your requirements.
- MXZ systems installed in buildings with ductless indoor units located in very small rooms can under certain conditions experience overheating of these spaces during heat pump heating operation. If one zone is considerably larger and will be heating more frequently then the smaller zones, then it is recommended that this larger area be served by a separate single-zone system.
- CONTACT US FOR PRICING ON PUMY SYSTEMS WITHOUT THE USE OF BRANCH BOXES (REQUIRES CM INDOOR UNITS).

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

## MXZ-SERIES & PUMY MULTI-ZONE SYSTEM CONNECTION RULES

### Ported Multi-Zone Units:

**MXZ-2C20NA, 3C24NA, 3C30NA, 4C36NA, 5C42NA, 2C20NAHZ, 3C24NAHZ and 3C30NAHZ**

- Minimum 2 indoor units must be connected. Minimum 12k Btu must be connected.
- Systems may connect to indoor units up to 130% of rated nominal capacity. Systems using SVZ or PAA style indoor unit may only connect up to 100% rated nominal capacity.
- Only 1 SVZ/PAA may be connected per outdoor unit.
- When connecting SVZ, connection of only 1 other indoor unit is allowed per MXZ unit.
- If system includes SVZ no P-Series (PEAD etc.) indoor units may be connected.
- Maximum 2 PEAD units may be installed per MXZ outdoor unit. More than two is not permitted.
- 1:1 SVZ connection to MXZ outdoor unit is not a supported combination.
- PVA Units are not compatible. Use SVZ for ducted multi-position air handler requirements.

### Branch Box Multi-Zone Units:

**MXZ-8C48NA, MXZ-4C36NAHZ, 5C42NAHZ, 8C48NAHZ, PUMY-P36NKMU4, PUMY-P42NKMU4, PUMY-P60NKMU4  
PUMY-HP36NKMU2, PUMY-HP42NKMU2, PUMY-HP48NKMU2**

- Residential (M & P Series) indoor units require a branch box for connection with any PUMY condenser.
- Minimum 2 indoor units utilizing 12k Btu must be connected, total indoor capacity must be at least 50% of the outdoor unit rated capacity.
- 16/2 Shielded M-Net wire runs from Condenser to branch box for communication.
- SPTB1 separate power supply acceptable for indoor unit power connection.
- More than 2 SVZ may be connected if SPTB1 power supply kit is used on each indoor unit. On each branch box 2 multi-position AHU are connectable with no other units. When 1 SVZ is connected a maximum of 1 SEZ / PEAD unit is allowed.
- Branch box systems using SVZ style indoor unit may only connect up to 130% nominal outdoor unit capacity.
- Up to 3 SEZ or PEAD style units may be connected per branch box (when no SVZ included in system). When 3 SEZ/PEAD style units are connected to a single branch box no other indoor units may be connected to the branch box.
- When system includes even 1 PLA-A\*EA7 4-way cassette unit or 1 PAA-A-A on MXZ-\*C\*\*NA, MXZ-\*C\*\*HZ or PUMY P\*\*NKMU4 maximum connectable number of indoor units decreases as follows: P36=3, P42=4, P48=6, P60=6 indoor units total.
- Only branch box and M & P-Series product OR City Multi indoor units may be connected to a PUMY system at a time for example: if a branch box is used with M-Series indoor units then City Multi units may not be connected to the same PUMY condenser.

### SPTB1 – Separate Power Supply Terminal Block

***Optional kit for providing separate power supply to individual indoor units. 1 Kit required per indoor unit.***

- Multi-zone systems using branch boxes may connect any number of multi-position air handlers (following other rules stated above) if SPTB1 is used on each indoor unit. When using SPTB1 separate power supply kit S1, S2, and S3 wires must be connected from the outdoor unit to the branch box, S2 and S3 communication wiring must be connected from branch box to indoor unit.
- For ported MXZ installations not including a branch box, S2 and S3 communication wiring must still be connected to outdoor unit.
- Refer to install manual for SPTB1 for further information.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES INDOOR UNITS FOR USE WITH MULTI-ZONE OUTDOOR UNITS**

	Indoor	Rated C/H Capacity	Trade Net \$
PDF	MSZ-GS06NA-U1	6,000/7,200 Btu/h	\$461.00
PDF	MSZ-GS09NA-U1	9,000/10,900 Btu/h	\$518.00
PDF	MSZ-GS12NA-U1	12,000/14,400 Btu/h	\$532.00
PDF	MSZ-GL15NA-U2	14,000/18,000 Btu/h	\$497.00
PDF	MSZ-GL18NA-U1	18,000/21,600 Btu/h	\$632.00
PDF	MSZ-GL24NA-U1	22,400/27,600 Btu/h	\$718.00



MSZ-GL(GS) STANDARD HIGH-WALL INDOOR UNIT  
 Wireless IR hand-held remote control included  
 Optional wall thermostat kits, see Page-19.

	Indoor	Rated C/H Capacity	Trade Net \$
PDF	MSZ-FS06NA-U1	6,000/8,700 Btu/h	\$633.00
PDF	MSZ-FS09NA-U1	9,000/10,900 Btu/h	\$647.00
PDF	MSZ-FS12NA-U1	12,000/13,600 Btu/h	\$745.00
PDF	MSZ-FS15NA-U1	15,000/18,000 Btu/h	\$798.00
PDF	MSZ-FS18NA-U1	17,200/20,300 Btu/h	\$851.00



MSZ-FS DELUXE HIGH-WALL INDOOR UNIT  
 Wireless IR hand-held remote control included  
 Optional wall thermostat kits, see Page-19.

- **MSZ-FS indoor units feature the 3D iSee Sensor**, which searches for people, to follow or avoid them with the supply air in heating & cooling operation. Also can act as an occupancy sensor for automatic set-back. The sensor makes a slight clicking noise, and can be disabled if desired.
- Split vanes for multiple air flow patterns, with fan only mode available on this model.

[\\* Click Here for details on BASEBOARD HEATER CONTROL \\*](#)

**3D iSee Sensor**  
 Moves left to right to scan the entire room in three dimensions, detecting your exact location based on body temperature. So precise, it responds only to people, and not pets.

**Direct/Indirect Air Flow**  
 Enhance comfort by averting airflow away from people, or set direct airflow to target people for quick heating/cooling.

**Absence Detection**  
 When no one is in the room, the unit automatically switches to energy saving mode.

**Natural Flow**  
 This setting directs airflow much like natural wind. The continuous gentle breeze provides enhanced comfort.

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES INDOOR UNITS FOR USE WITH MULTI-ZONE OUTDOOR UNITS**

	Indoor	Rated C/H Capacity	Trade Net \$
	MLZ-KY06NA-U1	6,000/7,200 Btu/h	\$1,236.00
	MLZ-KP09NA-U1	9,000/10,900 Btu/h	\$1,286.00
	MLZ-KP12NA-U1	12,000/15,000 Btu/h	\$1,505.00
	MLZ-KP18NA-U1	15,000/18,000 Btu/h	\$1,882.00

(Note: ceiling grille MLP-444W (MLP-448WU) is included in unit prices.)

**MLZ 1-WAY CEILING CASSETTE INDOOR UNIT**

Indoor unit cabinet fits within a standard 16" OC joist cavity.  
 Service access through the grille (no access door required).  
 Includes hand-held wireless remote.

Optional PAR-\*MA or MHK2 Wall Controls, see Page-19.

	Indoor	Rated C/H Capacity	Trade Net \$
	SLZ-KF09NA1	9,000/10,900 Btu/h	\$1,152.00
	SLZ-KF12NA1	12,000/15,000 Btu/h	\$1,292.00
	SLZ-KF15NA1	15,000/18,000 Btu/h	\$1,470.00

(Note: ceiling grille SLP-18FAEU is included in unit prices.)

**SLZ 4-WAY CEILING CASSETTE INDOOR UNIT**

Indoor unit cabinet fits in a standard 2ft x 2ft T-bar ceiling grid.  
 Service access required above ceiling. 18in x 18in access panel in drywall ceilings.

Optional hand-held wireless remote kit with receiver. **\$249.00**

Optional PAR-\*MA or MHK2 Wall Controls, see Page-19.

	Indoor	Rated C/H Capacity	Trade Net \$
	MFZ-KJ09NA-U1	9,000/10,900 Btu/h	\$1,348.00
	MFZ-KJ12NA-U1	12,000/14,400 Btu/h	\$1,558.00
	MFZ-KJ15NA-U1	15,000/18,000 Btu/h	\$1,738.00
	MFZ-KJ18NA-U1	17,200/21,600 Btu/h	\$1,979.00

**MFZ FLOOR (LOW-WALL) INDOOR UNIT**

Wireless IR hand-held remote control included.

Optional PAR-\*MA or MHK2 Wall Controls, see Page-19.

These units are ideal for loft rooms with a short vertical 'knee-wall' that transitions into a sloped wall/ceiling.





Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**M-SERIES INDOOR UNITS FOR USE WITH MULTI-ZONE OUTDOOR UNITS**

	Indoor	Rated C/H Capacity	Trade Net \$
	SVZ-KP12NA	12,000/15,000 Btu/h	\$1,709.00
	SVZ-KP18NA	18,000/21,600 Btu/h	\$1,760.00
	SVZ-KP24NA	24,000/25,000 Btu/h	\$1,850.00
	SVZ-KP30NA	27,000/30,000 Btu/h	\$1,982.00
	SVZ-KP36NA	33,000/33,500 Btu/h	\$2,175.00

**SVZ MULTI-POSITION DUCTED INDOOR UNITS.**

- Cleanable wire mesh filter.
- **HIGH STATIC 0.60"**
- Supplemental heat control option
- **Wall control or thermostat required, please see below.**



	Indoor	Rated C/H Capacity	Trade Net \$
	SEZ-KD09NA4R1-TH	9,000/10,900 Btu/h	\$868.00
	SEZ-KD12NA4R1-TH	12,000/13,600 Btu/h	\$1,062.00
	SEZ-KD15NA4R1-TH	15,000/18,000 Btu/h	\$1,122.00
	SEZ-KD18NA4R1-TH	17,200/20,100 Btu/h	\$1,375.00



**SEZ & PEAD LOW-PROFILE HORIZONTAL DUCTED INDOOR UNITS.**

- Cleanable wire mesh filter.
- Filter box kits are available for ducted return application with PEAD models.
- **SEZ (LOW STATIC 0.20")**
- **PEAD (HIGH STATIC 0.60")**
- Integral drain lifter pump. Use 1in PVC tubing for the condensate line.
- Supplemental heat control option, to give on-off control of electric duct heater or hot water coil.
- **CALL FOR PRICING ON CUSTOM ELECTRIC & HYDRONIC DUCT HEATERS.**

	Indoor	Rated C/H Capacity	Trade Net \$
	PEAD-A09AA8	9,000/11,400 Btu/h	\$1,691.00
	PEAD-A12AA8	12,000/16,300 Btu/h	\$1,740.00
	PEAD-A15AA8	15,000/21,000 Btu/h	\$1,850.00
	PEAD-A18AA8	18,000/24,700 Btu/h	\$1,940.00
	PEAD-A24AA8	24,000/26,000 Btu/h	\$2,157.00
	PEAD-A30AA8	30,000/34,000 Btu/h	\$2,432.00
	PEAD-A36AA8	36,000/40,000 Btu/h	\$2,719.00

**FILTER BOX KITS FOR USE WITH SEZ & PEAD DUCTED INDOOR UNITS**



FBL Filter(s): 1in MERV-8  
 FBM Filters: 2in MERV-13  
 Bottom or Rear Inlet

FBL1-1	SEZ-KD09NA	\$243.00
FBL1-2	SEZ-KD12, KD15NA	\$315.00
FBL1-3	SEZ-KD18NA	\$365.00
FBM2-2-A	PEAD-A09, A12, A15, A18AA7	\$333.00
FBM2-3-A	PEAD-A24, A30AA7	\$389.00
FBM2-4-A	PEAD-A36, A42AA7	\$489.00

**COST EXTRA > PAR-40MA / PAR-CT01MA / MHK2 Wall Control REQUIRED (Page-19) to complete your system.**

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



< Click for Rebate Details

DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**PAA-SERIES ADD-ON CASED A-COILS FOR USE WITH MULTI-SPLIT (MXZ/PUMY) OUTDOOR UNITS**

	Indoor	Rated C/H Capacity	Trade Net \$ (PAA only)	DIMENSIONS WxHxD	Notes
	PAA-A18BA1-M	18,000/20,000 Btu/h	\$1,520.00	17-1/2" x 26-3/8" x 21-3/8"	1
	PAA-A24BA1-M	24,000/26,000 Btu/h	\$1,520.00	17-1/2" x 26-3/8" x 21-3/8"	1, 2
	PAA-A30BA1-M	30,000/32,000 Btu/h	\$1,520.00	17-1/2" x 26-3/8" x 21-3/8"	1, 2
	PAA-A36CA1-M	36,000/38,000 Btu/h	\$1,703.00	21" x 31" x 21-3/8"	1, 2
	PAA-A42CA1-M	NOT AVAILABLE FOR USE WITH MULTI-SPLITS.			
Smaller cased coil cabinet sizes are available on a non-stock non-returnable Special Order Basis.					

**COST EXTRA > PAR-40MA / PAR-CT01MA / MHK2 Wall Control REQUIRED (Page-19).**



BROCHURE

**PAA Hybrid Ducted Compatibility Table**

	PAA-A18AA	PAA-A24AA	PAA-A30AA	PAA-A36AA	PAA-A42AA
MXZ-2C20NA*	x	x	x	x	x
MXZ-3C24NA*	✓	x	x	x	x
MXZ-3C30NA*	✓	✓	x	x	x
MXZ-4C36NA*	✓	✓	x	x	x
MXZ-5C42NA*	✓	✓	x	x	x
PUMY-P36NKMU4	✓	✓	✓	✓	x
MXZ-8C48NA* / PUMY-P48NKMU4	✓	✓	✓	✓	x
PUMY-P60NKMU4	✓	✓	✓	✓	x
MXZ-2C20NAHZ*	x	x	x	x	x
MXZ-3C24NAHZ*	✓	x	x	x	x
MXZ-3C30NAHZ*	✓	✓	x	x	x
MXZ-4C36NAHZ* / PUMY-HP36NKMU2	✓	✓	✓	✓	x
MXZ-5C42NAHZ* / PUMY-HP42NKMU2	✓	✓	✓	✓	x
MXZ-8C48NAHZ* / PUMY-HP48NKMU2	✓	✓	✓	✓	x

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
49 Grenfell Crescent  
Ottawa, ON K2G 0G3  
Phone & Text: (613)723-0359  
Web Site: www.digelair.com  
Email: sales@digelair.com

**WIRED & WIRELESS WALL CONTROL & WI-FI OPTIONS FOR MITSUBISHI DUCTLESS & DUCTED SYSTEMS**

	<b>PAR-41MAAU</b>	<b>MITSUBISHI 2-wire Wall Control</b>	\$237.00
	<b>PAR-CT01MAU-SB</b>	<b>MITSUBISHI 2-wire Touchscreen Wall Control</b>	\$281.00
	<b>MHK2</b>	<b>MITSUBISHI Wireless Wall Control Kit (CN105)</b>	\$462.00
	<b>MAC-497IF-E</b>	<b>MITSUBISHI MAC-497IF-E &gt; PAR-MA Interface Module (CN105)</b>	\$119.00
		Interface Kit used to connect the PAR-**MA 2-Wire Communicating Wall Control to a ductless indoor unit that is packaged with a hand-held wireless remote.	
	<b>AZAI6WSCMEL</b>	<b>AirZone AIDOO Wi-Fi Adapter (CN105)</b>	\$245.00
		Use with the free <b>Airzone Cloud APP</b> (Apple & Android). Can handle multiple zones & locations. Works with all current Mitsubishi Electric indoor units, ducted & ductless.  <a href="https://www.airzonecontrol.com/na/en/control-solutions/aidoo/wi-fi/">https://www.airzonecontrol.com/na/en/control-solutions/aidoo/wi-fi/</a>	
	<b>AZX6ACCSPLMEL</b>	<b>AirZone AIDOO CN105 Splitter Module</b>	\$77.00
		Required if Aidoo Wi-Fi is used in conjunction with the MHK2 or MAC-497IF-E & PAR-**MA. Works with all current Mitsubishi Electric indoor units, ducted & ductless. Plugs into the CN105 port on the indoor unit circuit board, and other devices plug into it.	
	<b>MIT-RMF-CA100-V2</b>	<b>MITSUBISHI Generic Thermostat Interface Module (M&amp;P DUCTED)</b> Price Includes: RMF-CA100, TR40VA015, MIT-PAC-USSEN002-FM-1.	\$648.50
	<b>MIT-RMF-CA200-V2</b>	<b>MITSUBISHI Generic Thermostat Interface Module (M DUCTLESS)</b> Price Includes: RMF-CA200, VPL24-210.	\$165.00
<b>THERMOSTATS TO USE WITH MITSUBISHI RMF-CA100-V2 &amp; RMF-CA200-V2 GENERIC THERMOSTAT INTERFACES</b>			
	<b>WHI-1F95U-42WFC</b>	WHITE-RODGERS SENSI TOUCH WiFi IAQ SMART THERMOSTAT (WHITE)	\$237.00
	<b>WHI-1F95U-42WFBC</b>	WHITE-RODGERS SENSI TOUCH WiFi IAQ SMART THERMOSTAT (BLACK)	\$237.00
	<b>EB-3LITE-PRO</b>	ECOBEE 3-LITE WiFi SMART-HOME THERMOSTAT	\$156.25
	<b>EB-SMART-PM-PRO</b>	ECOBEE 6 WiFi SMART-HOME PREMIUM IAQ THERMOSTAT (SENSOR / ALEXA)	\$287.50
	<b>MIT-PAC-USSEN002-FM-1</b>	MITSUBISHI FLUSH MOUNT REMOTE ROOM TEMPERATURE SENSOR (CN20)	\$260.00
	<b>MIT-MAC-1710RA-U</b>	M-SERIES MFZ MSZ-FS(GS) EXTERNAL HEAT OUTPUT ADAPTER CABLE (CN24)	\$45.00
	<b>MIT-PAC-SE56RA-E</b>	MITSUBISHI CN24 CN2C CNER CNF 2-PIN WIRING ADAPTER (LOCK TYPE)	\$45.00
	<b>MIT-PAC-YU25HT-G</b>	MITSUBISHI ADAPTER CABLE KIT	\$78.00
	<b>RIBU1C</b>	ENCLOSED RELAY 10A SPDT 10-30VAC/DC/120VAC COIL	\$34.00
	<b>RIB12P</b>	ENCLOSED POWER RELAY 20A DPDT 12V AC/DC COIL WITH LED	\$146.00

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**SUPPLEMENTAL ELECTRIC & HOT WATER HEATING OPTIONS FOR DUCTED INDOOR UNITS**

**MITSUBISHI SVZ ELECTRIC HEAT MODULE**

- Mounts on the discharge end of the air handler.
- **Adds 6" to the total height / length.**
- Simple ON/OFF 1 or 2 stage control.
- Requires SPTB1 (in price)
- Includes wiring harness.



EH03-SVZ-S (1-stage)	03-KW	<b>Use with:</b> SVZ-12-18-24	\$731.00
EH05-SVZ-S (1-stage)	05-KW		\$775.00
EH08-SVZ-S (2-stage)	08-KW	SVZ-18-24	\$861.00
EH05-SVZ-M (1-stage)	05-KW	SVZ-30-36	\$890.00
EH08-SVZ-M (2-stage)	08-KW		\$1,004.00
EH10-SVZ-M (2-stage)	10-KW		\$1,102.00

**MITSUBISHI PVA / PVFY ELECTRIC HEAT MODULE**

- Mounts on the discharge end of the air handler.
- **Adds 6" to the total height / length.**
- Simple ON/OFF 1 or 2 stage control.
- Requires SPTB1 (in price)
- Includes wiring harness



EH08-MPA-MB	08-KW	<b>Use with:</b> PVA-24-30	\$947.00
EH10-MPA-MB	10-KW		\$988.00
EH10-MPA-LB	10-KW	PVA-36-42 PVFY-48	\$988.00
EH15-MPAS-LB	15-KW		\$1,061.00
EH17-MPAS-LB	17-KW	PVA-42 PVFY-48	\$1,175.00

**THERMOLEC PVA / PVFY STAGED SLIP-IN ELECTRIC HEAT MODULE**

- Mounts on the discharge end of the air handler.
- **Slips into the supply plenum. (Cut duct to install.)**
- Includes SPTB1, PAC-SE56RA-E, RIBU1C relay.



THE-Z10-2ST-LF	10-KW	PVA-36-42 PVFY-48	\$824.00
THE-Z15-3ST-LF	15-KW		\$874.00
THE-Z17.5-4ST-LF	17-KW	PVA-42 PVFY-48	\$924.00

Staged control with QUIET DCV RELAYS.

**THERMOLEC PVA / PVFY SCR-MODULATING ELECTRIC HEAT MODULE**

- Mounts on the discharge end of the air handler.
- **Adds 7" to the total height / length.**
- SCR modulating controller with discharge air thermostat and duct sensor.
- Includes SPTB1, PAC-SE56RA-E, RIBU1C relay.



Z10-SCR-L(LS)	10-KW	PVA-36-42 PVFY-48	\$1,268.00
Z15-SCR-L(LS)	15-KW		\$1,683.00
Z17.5-SCR-L(LS)	17-KW	<b>Use with:</b> PVA-42 PVFY-48	\$1,683.00
Z20-SCR-L(LS)	20-KW		\$1,683.00

Item #	Cased Hydronic Heating Coil	Use with:	Trade Net \$
ADP-AHW-2208	15in x 20in 2-row > 30-MBH @ 150°F (4 gpm)	SVZ-12-36 PVA-24-30	\$588.00
ADP-AHW-3208	15in x 20in 3-row > 48-MBH @ 150°F (5 gpm)	SVZ-12-36 PVA-24-30	\$698.00
ADP-AHW-3278	20in x 20in 3-row > 73-MBH @ 150°F (8 gpm)	PVA-36-42 PVFY-48	\$789.00

Authorized Distributor of:



Heating and Cooling

Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

**INSTALLATION ACCESSORIES (Click on Item Number for more details.)**



**RBX3-MD-NC RoughinBox**



**QSMS1801**



**CS-1622AL**



**RSH-50**



**SLIMDUCT**




**MIGHTY BRACKET**



**SLI-DH-16**

RBX3-MD-NC	RoughinBox for ductless indoor units	\$54.00
DISCONNECT-LP	Diversitech EDS-60U outdoor pull disconnect	\$17.50
WIRE-MINI-SPLIT-75	Approved 14/4C stranded mini-split cable 75m	\$497.80
WIRE-MINI-SPLIT-15	Approved 14/4C stranded mini-split cable 15m	\$115.00
APCOX-ER3	FRESH-AIRE UV In-Duct 18-32vac AIR PURIFIER	\$615.00
MINI-LED-SW	FRESH-AIRE UV Mini-Split 120-277V LED strip	\$249.00
WBB500	Euro-style wall bracket kit (500 lbs.)	\$127.10
WB-22AL	22in Aluminum wall bracket set (Other sizes also)	\$45.00
CS-1622AL	16-22in x 17in H Aluminum Mini-split Stand	\$120.00
QSMS1801	QUICK-SLING 18in Mini-split Stand	\$261.00
QSMS1802	QUICK-SLING Wide-Stance 18in Stand	\$316.50
CB-18X35X2	Condenser Base for Mini-Splits (Fits QSMS1801)	\$36.50
Si-20-230V	SAUERMANN Si-20 IN-LINE CONDENSATE PUMP KIT 230V	\$153.50
Si-33-230V	SAUERMANN Si-33 MINI CONDENSATE PUMP KIT 230V	\$199.50
OMEGA-PACK-120V	SAUERMANN Si-20 CONDENSATE PUMP 120V ENCLOSURE KIT	\$181.50
OMEGA-PACK-230V	SAUERMANN Si-20 CONDENSATE PUMP 230V ENCLOSURE KIT	\$189.50
DELTA-PACK	SAUERMANN Si-10 CONDENSATE PUMP 230V DUCTING KIT	\$156.50
VCMA-20ULS-PRO_115V	Little Giant VCMA-PRO tank condensate pump 115V	\$69.50
VCMA-20ULS-PRO_230V	Little Giant VCMA-PRO tank condensate pump 230V	\$77.50
PTUBE-14V	Gorilla Tube 1/4" ID x 100' clear vinyl tubing	\$33.50
PTUBE-38V	Gorilla Tube 3/8" ID x 100' clear vinyl tubing	\$40.80
SLI-DH-16	SlimDuct no-kink 5/8in ID drain hose 164ft box.	\$101.30
230-DLF20	Mini-split Drain Line Connector for 1/2in PVC	\$10.00
230-DLF25	Mini-split Drain Line Connector for 3/2in PVC	\$11.20
MIGHTY-BRACKET	Mini-split indoor unit installation support tool.	\$185.90
RSH-50	Electrical Surge Protective Device 120/240V	\$85.70
EZT-180	EZ-TRAP 5/8in Mini-trap for Ductless Heads	\$10.00
EZT-113B	EZ-TRAP 3/4in Economy cross trap kit with brush	\$19.30
OUTSET-SEAL	Adjustable line-set outlet to seal wall penetration.	\$69.00



Authorized Distributor of:






Heating and Cooling


Mitsubishi Price Catalog (Residential) 2024



DigelAir HVAC Supply Inc.  
 49 Grenfell Crescent  
 Ottawa, ON K2G 0G3  
 Phone & Text: (613)723-0359  
 Web Site: www.digelair.com  
 Email: sales@digelair.com

Item #	<i><b>EZ-ROLL-PLUS BLACK</b></i> PRE-INSUATED ACR COILS ( <i><b>Great Lakes</b></i> )	Trade Net \$
EZB1450 	EZ-ROLL PLUS 1/4in OD x 50ft (1/2in WALL) BLACK INSULATED ACR	\$91.50
EZB14164	EZ-ROLL PLUS 1/4in OD x 164ft (1/2in WALL) BLACK INSULATED ACR	\$303.50
EZB3850	EZ-ROLL PLUS 3/8in OD x 50ft (1/2in WALL) BLACK INSULATED ACR	\$131.50
EZB38164	EZ-ROLL PLUS 3/8in OD x 164ft (1/2in WALL) BLACK INSULATED ACR	\$451.50
EZB1250	EZ-ROLL PLUS 1/2in OD x 50ft (1/2in WALL) BLACK INSULATED ACR	\$176.50
EZB12164	EZ-ROLL PLUS 1/2in OD x 164ft (1/2in WALL) BLACK INSULATED ACR	\$581.50
EZB5850	EZ-ROLL PLUS 5/8in OD x 50ft (1/2in WALL) BLACK INSULATED ACR	\$210.50
EZB58164	EZ-ROLL PLUS 5/8in OD x 164ft (1/2in WALL) BLACK INSULATED ACR	\$713.50
EZB7850	EZ-ROLL PLUS 7/8in OD x 50ft (1/2in WALL) BLACK INSULATED ACR	\$417.50
EZBK 	[84381] EASYBEND KIT - 13ft MANDRELS (1/4 3/8 1/2 5/8in ACR COPPER)	\$75.70
EZBW-34	[84383] EASYBEND 13ft MANDREL (3/4in ACR COPPER SIZE)	\$36.80

Item #	<i><b>RYNO WHITE</b></i> PRE-INSUATED ACR COILS ( <i><b>P-Tubes</b></i> )	Trade Net \$
 We still have some stock of this product in most sizes. Please call or text us for availability and price.		

Item #	<i><b>SLIMDUCT</b></i> REFRIGERANT PIPING & WIRING DUCTING SYSTEM	Trade Net \$
 SLI-SD-100-W	[85004] SLIMDUCT 78in DUCT LENGTH SD-77 WHITE	\$38.90
SLI-SD-100-I	[85024] SLIMDUCT 78in DUCT LENGTH SD-77 IVORY	\$38.90
SLI-SD-100-B	[85064] SLIMDUCT 78in DUCT LENGTH SD-77 BROWN	\$46.20
SLI-SD-100-BK	<b>NEW &gt;&gt; BLACK SLIMDUCT (Available Now!)</b>	
SLI-SW-100-W	[86116] SLIMDUCT WALL INLET FOR SD-100 WHITE	\$28.80
SLI-SJ-100-W	[86110] SLIMDUCT COUPLER FOR SD-100 WHITE	\$11.20
SLI-SK-100-W	[86111] SLIMDUCT 90D FLAT ELBOW FOR SD-100 WHITE	\$28.60
SLI-SKF-100-W	[86112] SLIMDUCT 45D FLAT ELBOW FOR SD-100 WHITE	\$28.60
SLI-SC-100-W	[86102] SLIMDUCT 90D VERTICAL ELBOW FOR SD-100 WHITE	\$29.20
SLI-SCF-100-W	[86100] SLIMDUCT 45D VERTICAL ELBOW FOR SD-100 WHITE	\$24.60
SLI-SF-100-800-W	[86108] SLIMDUCT 31in FLEXIBLE ELBOW FOR SD-100 WHITE	\$23.60
SLI-SFS-100	[86101] SLIMDUCT FLEX ELBOW SADDLE BRACKET FOR SF-100	\$10.50
SLI-SIF-100-W	[86118] SLIMDUCT 2in FIXED OFFSET FOR SD-100 WHITE	\$37.60
SLI-SP-100-W	[86114] SLIMDUCT SOFFIT INLET FOR SD-100 WHITE	\$22.50
SLI-ST-100-W	[86115] SLIMDUCT TEE FOR SD-100 WHITE	\$59.70
SLI-SWC-100-W	[86105] SLIMDUCT WALL PENETRATION FLANGE FOR SD-100 WHITE	\$10.00
SLI-SEN-100-W	[86107] SLIMDUCT END FITTING FOR SD-100 WHITE	\$14.00

FOR A COMPLETE SLIMDUCT PRICELIST USE OUR [1\\_DIGELAIR NET-PRICELISTS](#) also in the Member Portal.

1) RLS (Rapid Locking System) REFRIGERANT COPPER PRESS FITTINGS	<a href="#">WEB SITE</a>	1/4 to 1-3/8in
2) PRO-FIT REFRIGERANT PUSH FITTINGS	<a href="#">MORE DETAILS</a>	1/4 to 7/8in
3) Standard refrigerant brass flare & copper sweat fittings.		1/4 to 2-1/8in

[Check out our DIGELAIR NET-PRICELISTS.pdf](#) in our Contractor Member Portal for pricing on other products.